#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Hagiwara et al.

**Patent No.** 7,569,536 **Issued:** August 4, 2009

**Application No. 10/584,482** 

Filed: March 2, 2007 Confirmation No. 3652 FILED VIA EFS ON NOVEMBER 23, 2009

For: METHODS FOR CONTROLLING SR

PROTEIN PHOSPHORYLATION, AND ANTIVIRAL AGENTS WHOSE ACTIVE INGREDIENTS COMPRISE AGENTS THAT

CONTROL SR PROTEIN ACTIVITY

Examiner: Jane Zara

Art Unit: 1635

Attorney Reference No. 6235-76051-01

SUBMITTED VIA ELECTRONIC FILING SYSTEM UNITED STATES PATENT AND TRADEMARK OFFICE

#### REQUEST FOR CERTIFICATE OF CORRECTION

The following printing errors were noted in comparing the printed patent with the papers in the attorneys' files:

#### In the Title:

In the title of the invention (6/23/2006 Amendment, page 2), "METHOD" should be --METHODS--.

# In the Specification:

Column 1, line 54 (specification page 1, line 31), "Vol. 86" should be --Vol. 83--. Column 15, line 36 (specification page 19, line 2), "[46]" should be --[M6]--.

Column 35 (specification page 38), "X" in subpart 3a, should be --N--, as follows:  $W = HNR^4R^5$ 

Column 35 (specification page 38), "R<sup>3</sup>" should be added to subpart 6a, as follows:

Column 38, line 44 (specification page 41, line 1), "P4S<sub>10</sub>" should be --P<sub>4</sub>S<sub>10</sub>--. Column 64, line 65 (specification page 63, line 20), "Cl" should be --F--. Column 65, line 20 (specification page 63, line 20), "DMAP", appearing under "Et<sub>3</sub>N", should be deleted.

Since not all of the errors are attributable to the Patent Office, enclosed is the fee of \$100.00 pursuant to 37 C.F.R. 1.20(a). The preceding corrections remedy mistakes of a typographical nature and/or minor character. A proposed Certificate of Correction is enclosed to make formal notice of the errors in the referenced patent. Applicants request that the Patent Office provide a formal Certificate of Correction to correct the errors noted herein.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

One World Trade Center, Suite 1600 121 S.W. Salmon Street Portland, Oregon 97204

Telephone: (503) 595-5300 Facsimile: (503) 595-5301

By /Sheree Lynn Rybak/ Sheree Lynn Rybak, Ph.D. Registration No. 47,913

cc: Docketing

## UNITED STATES PATENT AND TRADEMARK OFFICE

### CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO. APPLICATION NO. : 10/584,482

: 7,569,536

**ISSUE DATE** INVENTOR(S)

August 4, 2009 : Hagiwara et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

## In the Title:

In the title of the invention, "METHOD" should be --METHODS--.

# In the Specification:

Column 1, line 54, "Vol. 86" should be --Vol. 83--.

Column 15, line 36, "[46]" should be --[M6]--. Column 35 (specification page 38), "X" in subpart 3a, should be -- N--, as follows:

## W = HNR4R5

Column 35, "R<sup>3</sup>" should be added to subpart 6a, as follows:

Column 38, line 44, "P4S<sub>10</sub>" should be --P<sub>4</sub>S<sub>10</sub>--.

Column 64, line 65, "Cl" should be --F--.

#### MAILING ADDRESS OF SENDER:

Klarquist Sparkman, LLP One World Trade Center, Suite 1600 121 SW Salmon Street Portland Oregon, 97204

# UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO. APPLICATION NO.: 10/584,482

: 7,569,536

: August 4, 2009 ISSUE DATE INVENTOR(S) : Hagiwara et al. Page 2 of 2

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 65, line 20, "DMAP", appearing under "Et<sub>3</sub>N", should be deleted.